CATALOGUE No. 29
Issue 1929

東南 四二八新河湖东


The state of the same of the s



Wrought Iron Drapery Hardware

J. G. Braun Company

CHICAGO - 609 South Paulina Street
NEW YORK - 537 West 35th Street
SAN FRANCISCO - 1088 Howard Street
LOS ANGELES - 1205 East 8th Street



CATALOGUE No. 29
Issue 1929



Wrought Iron Drapery Hardware

J. G. Braun Company

CHICAGO - 609 South Paulina Street
NEW YORK - 537 West 35th Street
SAN FRANCISCO - 1088 Howard Street
LOS ANGELES - 1205 East 8th Street

INTRODUCTION


We present herewith our Catalog No. 29 issue of 1929 illustrating a complete line of Iron Curtain Poles, Cornices, Motifs, Brackets, Ends, Poles and Tie Backs.

All of these items come complete ready to install. The Ends come with spring clips which slip into Poles and hold them securely in place. The Motifs also come with special bracket attachment which slips over the pole and by tightening screw is held securely to the pole.

All items are finished in Antique Gold. If special finishes are desired, prices quoted upon request. All items can be had unfinished.

We are also prepared to make up special items from Blue Prints or sketches.

COMPLETE CURTAIN POLES



No. 9902

With 4 ft. 3/4" twisted pole



With 4 ft. 3/4" twisted pole


CHI




No. 9904
With 4 ft. 3/4" twisted pole

CORNICES


Ornamental Iron Banding with Perforated Metal



 $\label{eq:No.9976} \mbox{Any length, $4\frac{1}{2}''$ high, $4\frac{1}{2}''$ return}$




No. 9977 $\label{eq:constraint} \mbox{Any length, $41\!\!/\!_2$" high, $41\!\!/\!_2$" return}$




 $\label{eq:No.9978} \text{Any length, } 4\frac{1}{2}'' \text{ high, } 4\frac{1}{2}'' \text{ return}$

IRON CURTAIN POLE BRACKETS




No. 9074 $75 \% \begin{tabular}{ll} $75 \% \end{tabular} \begin{tabular}{ll} $\text{No. 434''} & \text{deep} \end{tabular}$




8½" high, 2½" wide, 4¾" deep



No. 8002 10½" high, 2¾" wide, 6" deep



No. 9070 63/4" high, 7/8" wide, 41/2" deep



No. 9071 7" high, 1½" wide, 5½" deep



No. 8003 101/4" high, 23/8" wide, 51/2" deep

IRON CURTAIN POLE BRACKETS



No. 8000 11" high, 4½" wide, 6" deep




No. 9072 7" high, 3½" wide, 4" deep

No. 9073 10½" high, 3½" wide, 4½" deep



No. 9075 7½" high, 2¼" wide, 4" deep



No. 9069 6½" high, 1" wide, 5" deep



No. 8004 $8\frac{1}{4}''$ high, $1\frac{1}{4}''$ wide, $5\frac{1}{2}''$ deep

No. 8005 $6\frac{1}{4}''$ high, $1\frac{1}{4}''$ wide, $5\frac{1}{2}''$ deep





No. 9068 6½" high, 1" wide, 5" deep




No. 9054 $9\frac{1}{4}$ " long, $2\frac{5}{8}$ " wide



No. 9052 8½" long, 2½" wide




No. 9055 8½" long, 2½" wide



No. 9056 8" long, 31/2" wide




No. 9053






No. 9050 61/4" long, 21/8" wide



No. 9049 63/4" long, 5" wide



No. 9062 $9'' \text{ long, } 3\frac{1}{2}'' \text{ wide}$




No. 9059 9" long, 3½" wide




No. 9051 7" long, 2½" wide




No. 9058 $7\frac{1}{2}''$ long, $2\frac{1}{2}''$ wide






No. 9061 9½" long, 5½" wide





No. 8024 and No. 8025 can only be used on 1" sq. pole



No. 8025

6" long, 634" wide





No. 8006 7½" long, 5" wide



No. 9057 $9'' \text{ long, } 2\frac{1}{8}'' \text{ wide}$




61/4" long, 33/8" wide



No. 9060 7" long, 2½" wide

Spring Clips on all ends are approximately 3" long, which is included in the above measurements.



No. 9044
73/4" long, 37/8" wide




No. 9045 8½" long, 3" wide



No. 9048 $7\frac{1}{4}'' \text{ long, } 3\frac{1}{2}'' \text{ wide}$



No. 9043 9½" long, 4¾" wide



No. 9047 6¾" long, 4" wide



No. 9042 83⁄4" long, 4" wide



No. 9046 $8\frac{1}{2}''$ long, $2\frac{1}{4}''$ wide

Spring Clips on all ends are approximately 3" long, which is included in the above measurements.




No. 9089 12" long, 45/8" wide

No. 9091 16½" long, 55/8" wide




No. 9087 16" long, 61/4" wide



No. 9085 6"long, 4" wide



No. 9083 18" long, 7½" wide



No. 9006

5" long, 3" wide

No. 9086

8½" long, 5" wide

No. 9097


7" long, 41/2" wide

No. 9098

11" long, 6" wide




No. 9084 24" long, 71/2" wide



No. 9081 10" long, 3" wide .

No. 9093 $7'' \text{ long, } 2\frac{1}{2} \text{ wide}$



No. 7007 12½" high, 9½" wide




No. 9095 9" long, 13/4" wide

No. 9094 13½" long, 2" wide

No. 9088 $16\frac{1}{2}''$ long, $3\frac{3}{4}''$ wide



 $7\frac{1}{2}''$ long, $2\frac{5}{8}''$ wide No. 9092 $8\frac{3}{4}''$ long, $3\frac{3}{4}''$ wide




11½" long, 4½" wide

No. 9090 $14\frac{1}{2}''$ long, $4\frac{3}{4}''$ wide




No. 9099 8½" long, 3½" wide



No. 7121 $8\frac{1}{4}$ " long, $6\frac{1}{2}$ " wide

No. 7120 $10\frac{1}{4}''$ long, 7" wide



No. 7119 12½" long, 9" wide





No. 7116 10" long, 5½" wide



No. 7221 8½" high, 4¼" wide



No. 7117 8½" long, 4¾" wide



No. 7072 $10\frac{1}{2}''$ long, $4\frac{1}{2}''$ wide



No. 7073 $9\frac{1}{4}" \text{ long, } 4\frac{1}{4}" \text{ wide}$



No. 7110 17" long, 5" wide



No. 7111 $14\frac{1}{4}$ " long, $4\frac{1}{2}$ " wide



No. 7112 11" long, 4½" wide



No. 7113 $9'' \text{ long, } 4\frac{1}{2}'' \text{ wide}$


CURTAIN RINGS

Iron




No. 7518—11/4" inside diam.

POLES



SQUARE TUBING, 3/8", 1/2", 5/8", 3/4", and 1" sq. x 18 Ga. Random stock lengths.



HEXAGON TUBING, ½", 5%", ¾", 1" by 18 Ga. Random stock lengths.



LOCKSEAM TWISTED TUBING, 5%", 34", 7%", and 1" sq. 16 ft. lengths.



I OUR COLUMN STRAIGHT and ROPE TWISTED LOCKSEAM TUBING, 3/4" outside diam. 16 ft. lengths.



No. $8014-1\frac{1}{2}''$ inside diam. No. $8022-1\frac{3}{8}''$ inside diam. No. $8015-1\frac{1}{4}''$ inside diam. No. $8023-1\frac{7}{8}''$ inside diam.

POLES




3/4"x20 Ga. Rope Tubing, 12 ft. lengths




7/8"x20 Ga. Braided Tubing, 12 ft. lengths




1/2"x20 Ga. Twisted Tubing, 12 ft. lengths 5/8"x20 Ga. Twisted Tubing, 12 ft. lengths 3/4"x20 Ga. Twisted Tubing, 12 ft. lengths 1"x20 Ga. Twisted Tubing, 16 ft. lengths




No. 8010 4½" deep, 4½" diam.




No. 8011 $4\frac{1}{2}'' \text{ deep, } 3\frac{1}{4}'' \text{ diam.}$




No. 8031 4" long, 23/8" diam.




No. 8013 5" long, $3\frac{3}{4}$ " diam.




No. 8034 53/4" long, 4" diam.




No. 8035 6" long, 5" diam.




No. 8012 5" deep, 41/4" diam.




No. 8048 $4\frac{1}{4}'' \ \text{long, } 2\frac{3}{4}'' \ \text{diam.}$




No. 8032 4½" long, 4" diam.




No. 8049 4" long, 3" diam.




No. 8056 4" long, 21/4" diam.




No. 8033 4" long, 33%" diam.




No. 8036 4" long, 33/8" diam.




No. 8038 4" long, 4" diam.




No. 8039
3½" long, 3" diam.




No. 8037 $4\frac{1}{8}''$ long, $2\frac{3}{4}''$ diam.




No. 8040 3½" long, 23%" diam.



No. 8042 5" long, 3½" diam.




No. 8041 $4\frac{1}{2}''$ long, $2\frac{3}{8}''$ diam.




No. 8099 4½" long, 3½" diam.



No. 8107 5½" long, 4" diam.






No. 8046 4" long, 3½," diam.




 $4\frac{1}{2}$ " long, $4\frac{3}{4}$ " diam.


No. 8100 4½" long, 6" diam.




No. 8045 4" long, 4" diam.




No. 8047 $3\frac{7}{8}''$ long, $2\frac{3}{4}''$ diam.



No. 8109 4½" long, 5" diam.




No. 8043 51/4" long, 4" diam.




No. 8051 4¾" long, 3¼" diam.



No. 8044 134" long, 3" diam.




No. 8050 $5\frac{1}{2}''$ long, $3\frac{3}{8}''$ diam.




No. 8053 6½" long, 3" diam.


No. 8054 7" long, 3½" diam.




No. 8052 5" long, 3" diam.



No. 8055 3¾" long, 2¾" diam.




No. 8062 43/8" long, 33/4" diam.




No. 8064 4" long, 3¾" diam.




No. 8101 4" long, 3" diam.




No. 8057 33/4" long, 31/2 diam.




No. 8058 4'' long, $4\frac{3}{8}''$ diam.




No. 8059 4" long, 3" diam.



No. 8060 4" long, 3¾" diam.




No. 8061 $4\frac{1}{4}$ " long, $4\frac{5}{8}$ " diam.







No. 8067 3½" long, 3¾" diam.




No. 8068 $3\frac{1}{8}'' \text{ long, } 3\frac{1}{8}'' \text{ diam.}$



No. 8069 $3\frac{1}{8}'' \text{ long, } 2\frac{5}{8}'' \text{ diam.}$



No. 8070 $3\frac{1}{2}'' \text{ long, } 3\frac{1}{2}'' \text{ diam.}$




No. 8066

1g, u,

No. 8065 3" long, 4" diam.

No. 8106 $3\frac{1}{4}''$ long, $5\frac{1}{4}''$ diam.




No. 8104
3½" long 4½" diam.

No. 8103 $3\frac{1}{4}''$ long, $4\frac{5}{8}''$ diam.


No. 8102 3½" long, 5¾"




No. 9001 $6\frac{1}{2}'' \text{ long, } 3\frac{1}{8}'' \text{ diam.}$



No. 9002 6" long, 3½" diam.



No. 9003 $6\frac{1}{4}''$ long, 3'' diam.



No. 9004 $6^{1}\!\!/_{\!\!4}{''}\,\log,\,3^{5}\!\!/_{\!\!8}{''}\,\operatorname{diam}.$



No. 9005 6½" long, 3¾" diam.



No. 9006 6" long, 3" diam.



No. 9008 6" long, 3½" diam.


No. 9030 $7\frac{1}{4}$ " long, $4\frac{3}{8}$ " diam.



No. 9009 $6\frac{1}{2}''$ long, $3\frac{3}{4}''$ diam.



No. 9017
6" long, 4" wide



No. 9018 6¾" long, 4¼" wide



No. 9000 8" long, 4½" wide



No. 9031 8½" long, 4" wide



No. 9025 $8\frac{1}{4}$ " long, $2\frac{1}{2}$ " wide



No. 9012 $5\frac{1}{2}''$ long, $2\frac{5}{8}''$ wide

No. 9011 $7\frac{1}{2}''$ long, $3\frac{3}{8}''$ wide



No. 9010 $10'' \text{ long}, 3\frac{1}{2}'' \text{ wide}$



No. 9013 7'' long, $2\frac{1}{2}''$ wide



No. 9014 4½" long, 3" wide



No. 9015 6" long, 21/8" wide

No. 9016 7½" long, 2¾" wide



No. 9024 3½" long, 35⁄8" diam.



No. 9019 $3\frac{1}{4}''$ long, $2\frac{5}{8}''$ diam.



No. 9020 $3\frac{1}{4}$ " long, $2\frac{5}{8}$ " diam.



No. 9021 $3\frac{1}{4}$ " long, $2\frac{5}{8}$ " diam.



No. 9022 $3\frac{1}{4}$ " long, $2\frac{1}{2}$ " diam.



No. 9023 $3\frac{1}{4}''$ long, $3\frac{1}{4}''$ diam.

ORNAMENTAL IRON SPECIALTIES

WALL OR DESK PHONE BRACKET




No. 9950 $5\frac{1}{2}''$ wide, $7\frac{1}{2}''$ high

IVY WALL POCKET With Metal Container




No. 9952 24" high, 7" wide, 9" deep

FOOT STOOL
Wrought Iron




No. 9951 20 % long, 14 % wide, 7'' high

SMOKING STAND Wrought Iron



No. 9954 28" high

FORGED NAILS



Furnished in any quantity—without finish.

These Studs come in their natural forged stage with nails of from 1" to 11/2" long depending on size of the

F. their use for fastening Hardware, studding Colonal, C. ch, and other Wooden Doors, they add Beauty and Charm.

A recently revived and now very popular custom is the installation of w d Colonial floors with

Forged Nails driven at frequent intervals.

Nails are often used as applied Ornament on all manner of Iron Work, such ture Bands, Fireplace Hardware and Trim, Bandcourses of Tables, Chairs, etc.

They may be finished to harmonize with the general scheme of decoration in Black, Rusty Iron, Semi-Polish, etc.

LANTERNS



No. 123.\\\13" high\\\11" wide



No. 126 A 17½" high 7" wide



No. 122A 18" high 10½" wide



No. 128A 15½" high 6" wide



No. 121A 15½" high 6" wide



No. 124A 17½" high 8" wide



No. 125A 14" high 7" wide .



Furnished unfinished without glass and wiring. If requested, lantern can be supplied Colonial Black finish with glass and wired. They can be furnished with bracket or Chain and Can-



PERFORATED SHEETS

For Radiator Covers, Registers, Grills, Fire and Window Screens Window Display Fixtures, Furniture, Cabinets, Bedsteads Flower Stands, Toys, etc.



P2000



P2001



P2002



P2003



P2004



P2005



P2006



P2007



P2008



P2009



P2010



P2011



P2012



P2013



P2014



P2015



P2016




P2017



P2018



P2019



P2020



P2021



P2022



P2023



2024

All patterns ome in Seets of 3'3"x5'7" with exception P2000 come. 9½"x235%" size panel. Fur ed in sheet steel of 19 BWG thickness except P2001 co

Immediate Shipment from New 10rk or CIIICAGO

ILLUSTRATIONS ARE ONE-FOURTH ACTUAL SIZE


Order by Number and Description of Article.




P2025




CATALOG No. 28—Illustrating our Complete Line of Colonial Hardware will be furnised upon request.







11" high, 6" deep.



81/4" high, 43/4" deep.






7" high, 4" deep. No. 9073 10 1/2" high, 4 1/2" deep.



No. 9075 7½" high, 4" deep.



No. 9069 6 1/2" high, 5" deep.

Wrought Iron Drapery Hardware Ready to Install

M AKING the claim that our Drapery Hardware is most beautiful in design, of superior quality, and one of the largest to choose from, is but a justifiable assertion.


It includes everything you will need for complete installations, from tubular poles, brackets, pole ends, center motifs, and tie-backs to rings. You can work out original combinations with these items to harmonize with any style of interior decoration.

This folder contains a limited but useful selection of very attractive designs. The line is shown complete in Catalog 29 which will gladly be sent to you upon request.




Steel Mouldings Wrought Or
Perforated Sheets

CHICAGO 609 SOUTH PAULINA STREET
NEW YORK 537 WEST 35 TREET
SAN FRANCISCO 636 POTRERO AVENUE
LOS ANGELES 1205 EAST 8 TREET



wide, 5" high.





No. 9095 9" wide, 134" high.

No. 9094 13½" wide, 2" high.

No. 9088 16½" wide, 3¾" high.

Easy to Assemble Parts

The various parts are so designed that all you have to do is to slip them together. Ends come with spring clips, that slip into the pole. Motifs come with a special bracket attachment, that slips over the pole and fastens with a set screw. The pole is also fastened firmly into the brackets with set screws, so that it cannot turn with the weight of the center motif.

000

Specify Finishes

In ordering state whether drapery hardware is wanted unfinished or finished. The standard finish is Antique Gold.



No. 90 12" wide, 45


121/2" wide,

No. 71 81/4" wide, 6


No. 71 101/4" wide,

No. 90 161/2" wide, 5!





No. 9081 10" wide, 3" high. No. 9093 7" wide, 21/2" high.







No. 7111 14¼" wide, 4½" high. No. 7112

11" wide, 4½" high

No. 7113 9" wide, 4½" high.





4%" high. 9091 5 %" high.



Ideas and Suggestions

We will be glad to give you the benefit of our experience in making up complete drapery sets from stock patterns.

From our stock of thousands of Wrought iron ornaments, special items of the simplest and of the most elaborate nature can be developed.

If you wish, send us your ideas and we shall develop them for you.

* * *

Quick Deliveries From Stock

Since all the items shown are carried in stock, we can make shipments of your orders promptly. Order by number, description and mention finish so that there may be no possibility of delay through wrong shipments.




No. 9082 71/2" wide, 25%" high.

No. 9092 8¾" wide, 3¾" high.




No. 9054 91/4" wide, 25/8" high.



No. 9056 8" wide, 31/2" high.




No. 9045 81/4" wide, 3" high.







7" wide, 21/2" high.









No. 8011 4½" long, 3¼" diam.

No. 8034 5¾" long, 4" diam.

No. 8035 6" long, 5" diam.

Curtain Rings



Also plain round, 1%".

Tie Backs

000

Only a few of the many available patterns in Tie Backs are shown here. Their exquisite flower and leaf forms give them great decorative value, whether used with other wrought iron fixtures or as an isolated touch. Try showing a selected line of these Wrought Iron Tie Backs to your customers and you will be surprised how soon you will be compelled to reorder.

There's a clean profit in every sale.





7½" long, 3%" wide. 5½" long, 2%" wide.





No. 9031 81/2" long, 4" wide.





½" x 20 Ga.—12 ft. lengths. %" x 20 Ga.—12 ft. lengths. 34" x 20 Ga.—12 ft. lengths. 1" x 20 Ga.-16 ft. lengths.

Also Square, Hexagon, Rope and Braided Poles See Cat. 29. Will cut to desired lengths.



No. 9000 8" long, 41/8" wide.



6" long,